




FRONT

BACK

BiHiKu6

530 W ~ 555 W

BIFACIAL MONO PERC

CS6W-530 | 535 | 540 | 545 | 550 | 555MB-AG

MORE POWER



Module power up to 555 W
Module efficiency up to 21.5 %



Up to 12.3 % lower LCOE
Up to 5.2 % lower system cost



Comprehensive LID / LeTID mitigation technology, up to 50% lower degradation



Compatible with mainstream trackers, cost effective product for utility power plant



Better shading tolerance

MORE RELIABLE



Minimizes micro-crack impacts



Heavy snow load up to 5400 Pa, wind load up to 2400 Pa*

12 Years

Enhanced Product Warranty on Materials and Workmanship*

30 Years

Linear Power Performance Warranty*

1st year power degradation no more than 2%
Subsequent annual power degradation no more than 0.45%

*According to the applicable Canadian Solar Limited Warranty Statement.

MANAGEMENT SYSTEM CERTIFICATES*

ISO 9001:2015 / Quality management system
ISO 14001:2015 / Standards for environmental management system
ISO 45001: 2018 / International standards for occupational health & safety
IEC62941: 2019 / Photovoltaic module manufacturing quality system


PRODUCT CERTIFICATES*

IEC 61215 / IEC 61730 / CE / INMETRO / MCS / UKCA
CEC listed (US California) / FSEC (US Florida)
UL 61730 / IEC 61701 / IEC 62716 / IEC 63126 Level1 / IEC 60068-2-68
Take-e-way




ENGINEERING DRAWING (mm)


Rear View



Frame Cross Section



CS6W-530MB-AG / I-V CURVES



ELECTRICAL DATA | STC*

		Nominal Max. Power (Pmax)	Opt. Operating Voltage (Vmp)	Opt. Operating Current (Imp)	Open Circuit Voltage (Voc)	Short Circuit Current (Isc)	Module Efficiency
CS6W-530MB-AG		530 W	40.9 V	12.96 A	48.8 V	13.80 A	20.5%
	Bifacial Gain**	5%	557 W	40.9 V	13.62 A	48.8 V	21.6%
		10%	583 W	40.9 V	14.26 A	48.8 V	22.6%
		20%	636 W	40.9 V	15.55 A	48.8 V	24.6%
CS6W-535MB-AG		535 W	41.1 V	13.02 A	49.0 V	13.85 A	20.7%
	Bifacial Gain**	5%	562 W	41.1 V	13.68 A	49.0 V	21.8%
		10%	589 W	41.1 V	14.34 A	49.0 V	22.8%
		20%	642 W	41.1 V	15.62 A	49.0 V	24.9%
CS6W-540MB-AG		540 W	41.3 V	13.08 A	49.2 V	13.90 A	20.9%
	Bifacial Gain**	5%	567 W	41.3 V	13.73 A	49.2 V	21.9%
		10%	594 W	41.3 V	14.39 A	49.2 V	23.0%
		20%	648 W	41.3 V	15.70 A	49.2 V	25.1%
CS6W-545MB-AG		545 W	41.5 V	13.14 A	49.4 V	13.95 A	21.1%
	Bifacial Gain**	5%	572 W	41.5 V	13.80 A	49.4 V	22.1%
		10%	600 W	41.5 V	14.46 A	49.4 V	23.2%
		20%	654 W	41.5 V	15.77 A	49.4 V	25.3%
CS6W-550MB-AG		550 W	41.7 V	13.20 A	49.6 V	14.00 A	21.3%
	Bifacial Gain**	5%	578 W	41.7 V	13.87 A	49.6 V	22.4%
		10%	605 W	41.7 V	14.52 A	49.6 V	23.4%
		20%	660 W	41.7 V	15.84 A	49.6 V	25.5%
CS6W-555MB-AG		555 W	41.9 V	13.25 A	49.8 V	14.05 A	21.5%
	Bifacial Gain**	5%	583 W	41.9 V	13.91 A	49.8 V	22.6%
		10%	611 W	41.9 V	14.58 A	49.8 V	23.7%
		20%	666 W	41.9 V	15.90 A	49.8 V	25.8%

* Under Standard Test Conditions (STC) of irradiance of 1000 W/m², spectrum AM 1.5 and cell temperature of 25°C.

** Bifacial Gain: The additional gain from the back side compared to the power of the front side at the standard test condition. It depends on mounting (structure, height, tilt angle etc.) and albedo of the ground.

ELECTRICAL DATA

Operating Temperature	-40°C ~ +85°C
Max. System Voltage	1500 V (IEC/UL) or 1000 V (IEC/UL)
Module Fire Performance	TYPE 29 (UL 61730) or CLASS C (IEC61730)
Max. Series Fuse Rating	30 A
Protection Class	Class II
Power Tolerance	0 ~ + 10 W
Power Bifaciality*	70 %

* Power Bifaciality = $P_{max, rear} / P_{max, front}$, both $P_{max, rear}$ and $P_{max, front}$ are tested under STC, Bifaciality Tolerance: $\pm 5\%$

ELECTRICAL DATA | NMOT*

	Nominal Max. Power (Pmax)	Opt. Operating Voltage (Vmp)	Opt. Operating Current (Imp)	Open Circuit Voltage (Voc)	Short Circuit Current (Isc)
CS6W-530MB-AG	397 W	38.3 V	10.38 A	46.1 V	11.13 A
CS6W-535MB-AG	401 W	38.5 V	10.42 A	46.3 V	11.17 A
CS6W-540MB-AG	405 W	38.7 V	10.47 A	46.5 V	11.21 A
CS6W-545MB-AG	409 W	38.9 V	10.52 A	46.7 V	11.25 A
CS6W-550MB-AG	412 W	39.1 V	10.55 A	46.9 V	11.29 A
CS6W-555MB-AG	416 W	39.3 V	10.60 A	47.1 V	11.33 A

* Under Nominal Module Operating Temperature (NMOT), irradiance of 800 W/m²-spectrum AM 1.5, ambient temperature 20°C, wind speed 1 m/s.

MECHANICAL DATA

Specification	Data
Cell Type	Mono-crystalline
Cell Arrangement	144 [2 x (12 x 6)]
Dimensions	2278 x 1134 x 30 mm (89.7 x 44.6 x 1.18 in)
Weight	32.3 kg (71.2 lbs)
Front Glass	2.0 mm heat strengthened glass with anti-reflective coating
Back Glass	2.0 mm heat strengthened glass
Frame	Anodized aluminium alloy
J-Box	IP68, 3 bypass diodes
Cable	4.0 mm ² (IEC), 12 AWG (UL)
Cable Length (Including Connector)	300 mm (11.8 in) (+) / 200 mm (7.9 in) (-) or customized length*
Connector	T6 or MC4-EVO2 or MC4-EVO2A
Per Pallet	35 pieces
Per Container (40' HQ)	700 pieces or 560 pieces (only for US & Canada)

* For detailed information, please contact your local Canadian Solar sales and technical representatives.

TEMPERATURE CHARACTERISTICS

Specification	Data
Temperature Coefficient (Pmax)	-0.34 % / °C
Temperature Coefficient (Voc)	-0.26 % / °C
Temperature Coefficient (Isc)	0.05 % / °C
Nominal Module Operating Temperature	41 $\pm$ 3°C

* The specifications and key features contained in this datasheet may deviate slightly from our actual products due to the on-going innovation and product enhancement. CSI Solar Co., Ltd. reserves the right to make necessary adjustment to the information described herein at any time without further notice.

Please be kindly advised that PV modules should be handled and installed by qualified people who have professional skills and please carefully read the safety and installation instructions before using our PV modules.